

DECLARATION OF CONFORMITY

Declaration of Conformity (DOC) Reference Information						
File Number:	11545.01	Part	1 of 1		Year Last Issued:	2017
Length of Validity:		Vendor continue with OD	es in effect so long as the n for the ODVA technology(ie es to fulfill its user responsib IVA; and (iii) the CIP Identity ated in this Declaration of C	es) defined by to bilities as defing for the Produ	the above specification ed in its Terms of Usag	(s); (ii) ge Agreement

ODVA Licensed Vendor to Whom this DOC Has Been Issued				
Entity Name: IPDisplays		Vendor ID:	1353	

Overview of Compliant Product(s) Covered by This DOC				
(The list of product(s) covered by this DOC begins on page 2.)				
Networks(s) Supported:	EtherNet/IP™			
CIP Device Profile Supported:	Human-Machine Interface			
Classification of Declaration:	family product			

Trademark(s) Approved for Use in the Labeling and Promotion of the Products Named Herein (Color variations of logo marks allowed pursuant to ODVA Brand Standards+Identity Guidelines. No abbreviation of word marks allowed.)				
Logo Marks	Word Marks			
ODVA Certification Marks				
CONFORMANT	ODVA CONFORMANT™			
ODVA Technology Marks				
EtherNet/IP°	EtherNet/IP™			

This Declaration of Conformity, and approval of the use of ODVA's trademarks as shown above, has been granted by ODVA, Inc. based on its determination that the Product(s) identified herein fulfill(s) ODVA's standards for compliance with ODVA's specifications listed below at the ODVA composite Conformance Test (CT) level shown in parentheses:

The EtherNet/IP™ Specification (CT 13)

This Declaration of Conformity is issued on March 2, 2017 on behalf of ODVA by:

Katherine Voss, Executive Director

Katheriae A Voss

The list of product(s) covered by this DOC begins on page 2.

CIP I	CIP Identity for Product(s) Covered Under this Declaration of Conformity (per CIP Identity Object)				
No.	Vendor Product Code	Vendor Product Revision	Vendor Product Name		
	(attribute 3)	(attribute 4)	(attribute 7)		
1	8	4.800	IPLCD		
2	6	4.800	IPLED16X64RGB		
3	30	4.800	IPLED16X64RGB-I		
4	9	4.800	IPLED16X96RGB		
5	10	4.800	IPLED16X160RGB		
6	11	4.800	IPLED16X224RGB		
7	12	4.800	IPLED16X288RGB		
8	28	4.800	IPLED24X32RG-C		
9	29	4.800	IPLED24X64RG-C		
10	13	4.800	IPLED32X96RGB		
11	7	4.800	IPLED32X160RGB		
12	14	4.800	IPLED32X224RGB		
13	15	4.800	IPLED32X288RGB		
14	16	4.800	IPLED64X96RGB		
15	17	4.800	IPLED64X160RGB		
16	18	4.800	IPLED64X224RGB		
17	19	4.800	IPLED64X288RGB		
18	20	4.800	IPLED96X96RGB		
19	21	4.800	IPLED96X160RGB		
20	22	4.800	IPLED96X224RGB		
21	23	4.800	IPLED96X288RGB		
22	24	4.800	IPLED128X96RGB		
23	25	4.800	IPLED128X160RGB		
24	26	4.800	IPLED128X224RGB		
25	27	4.800	IPLED128X288RGB		

